

HOT TOPICS IN NOISE

Nancy S. Timmerman

25 Upton Street

Boston, MA 02118

Scientists often discuss the newest things that they are doing so that others know what's going on. The subject of this article is noise, a term which, for most people, needs no explanation.

Community noise and vibration from transportation

Noise from transportation affects nearly everyone (Figs. 1–3) and noise levels are regulated by Federal laws. Transportation noise that enters a home can be reduced by home improvements.

The Federal Aviation Administration (FAA) oversees airport noise studies. Their NextGEN program is working on making quieter aircraft. Aircraft noise exposure is still computed using the Integrated Noise Model (INM), and revision 7.0b was recently released. The FAA is working toward having one modeling program to cover both air quality and noise (AEDT), which should be available in 2010.

For highways, the state highway departments and turnpike authorities are responsible for addressing community noise. Two ways to reduce this noise source are to use bar-

“...the subject is noise, a term which needs no explanation.”

riers along the road (thereby blocking the view), or, in warm climates, to use porous pavements. A recent medical study in Sweden has related high blood pressure to highway noise.

Sustainable energy—wind turbines

Sustainable energy is all the rage with governments at all levels in the US. What is usually meant is not coal, oil, or natural gas (fossil fuels), but rather solar panels, wind turbines, and geothermal wells. Unfortunately, energy produced from these devices is quite expensive and the government has subsidized them to encourage their development. Solar panels and wind turbines are thought to be “environmentally friendly.”

It has been known for some time that neighbors of wind turbines sometimes complain about their noise (Fig. 4). This is particularly true when they are placed in rural areas. Background sound levels in these areas are often low, and nighttime levels of 35 dBA have caused complaints. The turbines produce a “swishing” sound, which is very annoying. To avoid these problems, about a mile of buffer space is needed



Fig. 1. Transportation: Air.



Fig. 2. Transportation: Road/Truck.



Fig. 3. Transportation: Highway.



Fig. 4. Wind Turbine: Hull, MA.

around the turbines; however, wind and other causes of sound refraction may cause the turbines to be heard at much greater distances.

National parks

The National Park Service (NPS) has been working on the problem of maintaining the character of wilderness areas and their sounds since the early 1990's. The first studies came as a result of the presence of air tour operations in the Grand Canyon. It was found that the ability to hear the aircraft was a key factor. This is at odds with the typical noise exposure criterion in use by the Federal Aviation Administration for people around airports. A new standards effort has just been started (S3-SC1-WG4) on this topic under the direction of two scientists at the NPS.

Soundscapes

The term *soundscape* is just like landscape, but for sounds (Figs. 5–8). It is used to describe an area, usually in a city, to try to avoid the negative implications of the word *noise*. Recent work has shown that sound level is often less important than the viewpoint of the listener. Influences of the norms of society may play an important role.

In addition to the “sound walks” which have occurred in recent years at Acoustical Society of America meetings, a new workshop series has started to bring acoustics into the planning processes in cities. The first such workshop occurred in Portland, Oregon.



Fig. 5. Soundscape: Open Air Market.



Fig. 6. Soundscape: Park/Playground.

Green building codes and standards

For the first time since the U.S. Green Building Council's Certification *Leadership in Energy and Environmental Design* (LEED) standards were introduced, credit can now be taken for acoustical design for schools and hospitals. The classroom standards give one credit for a design that is similar to that discussed in the national standard on classroom acoustics (Fig. 9).

Credit for hospitals is given in the current revision of the green building documentation for hospitals (Fig. 10). A national standard will soon be available whereby two credits are possible—one for speech privacy and one for ambient levels. The speech privacy criterion is given when conversations between doctors and patients are not easily overheard. The ambient level criterion is given for proper design so that the interior of the hospital is quiet enough to be restful. This is not the case in many current designs.

Energy savings from noise control

The material for sealing of sound leaks on an outside wall is the same as that which is used for energy conservation, namely caulking and weather stripping. In both cases, the best improvement is for a solid material to be placed between the inside and outside of the building. Both acoustical performance using the sound transmission class (STC) as a criterion, and infiltration (the amount of air that may come in through the cracks) are available for doors with different degrees of treatment.



Fig. 7. Soundscape: Dogs/Children.



Fig. 8. Church.



Fig. 9. Noise in Classrooms.

For each untreated door with an STC of 21 dB, the annual fuel usage for infiltration is \$756. Reducing the crack sizes by half would increase the STC to 24 dB and reduce the fuel use to \$378. For two types of treated doors, the STC improved to 42 dB, with fuel usage of \$23.30 and 44 dB with fuel use of \$2.66 per year. Thus, depending on the initial condition of the door, cost savings range from \$378 per year to \$753 per year, per door.

Hearing loss from use of personal music devices

Over time, the listening of music has moved from portable boom boxes to the modern mp3 players of today.



Fig. 10. Emergency Entrance/Boston City Hospital.

While this has been good from the point of view of the listener, it has brought a new potential problem to light.

Several years ago, a medical doctor noticed that some his teenage patients had developed the kind of hearing loss associated with working in factories all day. Careful research showed that the levels developed in the ear were 74 to 110 dBA (loud shouting to ear-splitting). This result has been repeated again and again in current research. The European Commission is studying whether to make a rule of requiring automatic volume control. The fact that people are subjecting themselves to this kind of sound when they are not working has made it harder to attribute hearing loss strictly to places of work.[AT](#)

Publish Your Conference Proceedings with AIP

Disseminate your conference results worldwide quickly and cost effectively

As a conference organizer, you want the key findings at your meeting to reach the largest possible audience as quickly and inexpensively as possible. With more than 700 Conference Proceedings published, the American Institute of Physics is uniquely positioned to maximize the impact of that leading-edge research by ensuring fast, cost-effective dissemination to researchers worldwide. AIP Conference Proceedings also preserve the continuity of the papers delivered at your meeting—something that's lost when individual articles are scattered among various journals.

AIP puts your proceedings online

AIP mounts each new volume online almost simultaneously with the publication of the printed version. This ensures that researchers in your field will have prompt access to the results of your conference. Links to your proceedings are accessible from the Inspec database and from major search engines. Access is available to patrons at a growing number of libraries worldwide. You can also offer online access to attendees of your conference.

Give your proceedings a special online SPIN

Abstracts of all conference papers automatically appear in AIP's SPIN (Searchable Physics Information Notices) abstracts database. SPIN is widely available in academic, corporate, and government research libraries around the world. It is a rich resource with complete bibliographic records for more than 100 of the world's leading publications in the physical sciences.

Visit us on the web at <http://proceedings.aip.org>.



For more information and proposals, contact:
Maya Flikop, Tel: 516-576-2460; e-mail: mflikop@aip.org

Discover why conference organizers return to AIP year after year

The vast majority of organizers of regularly recurring conferences return to AIP to publish subsequent proceedings. Here are some of the benefits they've enjoyed:

- Rapid publication, typically 10 to 12 weeks from the receipt of all the manuscripts
- Online availability virtually simultaneous with the release of the print volume
- Proceedings published before the start of conference for distribution at the conference
- Dedicated staff contact editors and proofread typeset pages at least twice
- A selection of manuscript submission formats, from camera-ready on paper, electronically on disk, or by ftp
- Flexible publication formats: 8 1/2" x 11" or 6" x 9" (approximately A4 and A5, respectively) sizes, and hardcover or soft-cover bindings
- AIP's ability to handle special requests, such as unique cover designs and four-color art
- The option of producing your proceedings on CD-ROM
- Worldwide distribution



Nancy S. Timmerman is the owner of the consulting company *Nancy S. Timmerman, P.E.* in Boston, Massachusetts, and Chair of the Acoustical Society of America's (ASA) Technical Committee on Noise. Her firm, a member of the National Council of Acoustical Consultants (NCAC), provides analysis, field-work, cost estimates, and design in acoustics and noise control to a broad range of clients. Previously, she was the Noise Abatement Manager at Logan International Airport, where she did pioneering work in noise monitoring. Nancy has been employed as an engineer with Bolt, Beranek, and Newman where she worked on sonar problems and with two Acoustical/Engineering firms, conducting noise and vibration analysis in the power industry. She holds a Master of Science degree in Ocean Engineering (Acoustics) from the Massachusetts Institute of Technology and is a Registered Professional Engineer in Massachusetts, and Board Certified by the Institute of Noise Control Engineering (INCE). Nancy served as President of INCE in 1991. She also holds a Service Playing Certificate from the American Guild of Organists.

HIGH-PERFORMANCE ABSORPTIVE NOISE BARRIERS

BY SOUND FIGHTER SYSTEMS

WWW.SOUNDFIGHTER.COM



FEATURE APPLICATION: HVAC

- Rooftop or ground-level designs
- Eliminates need for full enclosures
- No heat buildup or explosion risk
- Superior Noise Reduction
- Access Doors or Gates available
- 100% Sound Absorptive (NRC 1.05)
- Custom Color-Match
- Maintenance-Free
- Fast Turnaround

Sound Fighter Systems designs, engineers and fabricates the LSE Noise Barrier System in-house for every project. We have unmatched flexibility in designing a barrier best suited for the task at hand. We can design barriers up to 50 feet and wind loads to 200 miles per hour.



Sound Fighter Systems, L.L.C.
P.O. Box 7216
Shreveport, LA 71137

866.348.0833 // T
318.865.7373 // F
info@soundfighter.com // E
www.soundfighter.com // W